



Climate Change and social transformations in the past (12ka BP): from field data acquisition towards socio-ecological modeling

Laurent Lespez, Maria-Angela Bassetti, Jean-François Berger, Jean-Michel Carozza, Laurent Carozza, Nathalie Combourieu Nebout, Laurent Dezileau, Arthur Glais, Matthieu Ghilardi, Catherine Kuzucuoğlu, et al.

► To cite this version:

Laurent Lespez, Maria-Angela Bassetti, Jean-François Berger, Jean-Michel Carozza, Laurent Carozza, et al.. Climate Change and social transformations in the past (12ka BP): from field data acquisition towards socio-ecological modeling. Conférence MISTRALS PALEOMEX, Oct 2017, Montpellier, France. 2016. hal-01683548

HAL Id: hal-01683548

<https://univ-tlse2.hal.science/hal-01683548>

Submitted on 18 Jan 2018

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.


L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Climate Change and social transformations in the past (12ka BP): from field data acquisition towards socio-ecological modeling

Laurent Lespez¹, Maria-Angela Bassetti², Jean-François Berger³, Jean-Michel Carozza⁴, Laurent Carozza⁵, Nathalie Combourieu-Nebout, Laurent Dezileau⁶, Arthur Glais⁷, Matthieu Ghilardi⁸, Catherine Kuzucuoglu¹, Odile Peyron⁹, Pierre Sabatier¹⁰, Mehdi Saqalli⁴, Boris Vannière¹¹, Marie-Alexandrine Sicre¹², Bassem Jalali¹³, and Paleomex team

¹. LGP-UMR CNRS 8591 – Université de Paris Est-Créteil et Université de Paris 1, 2. CEFREM-UMR CNRS 5110, 3. EVS-UMR CNRS 5600 – Université Lyon 2, 4. LIENSS, UMR 7266, CNRS – Université de La Rochelle, 5. GEODE-UMR CNRS 5602 – Université Toulouse 2 « Jean Jaurès », 6. Géosciences Montpellier UMR CNRS 5243, 7. LETG-Caen-UMR CNRS 6554 – Université de Caen-Normandie, 8. CEREGE-UMR CNRS 7330 – Université d'Aix-Marseille, 9. ISERM Montpellier, 10. Laboratoire EDYTEM - UMR CNRS 5204, Université Savoie Mont Blanc, 11. Chrono-Environnement-UMR CNRS 6249, Université de Franche-Comté, Besançon, 12. LOCEAN, Sorbonne université, 13. GEOLGOB, Université de Sfax, Sfax, Tunisie.

Objectives and challenges




Methods : 4 transects – multiproxies analyses



Paleomex in the Lion's Gulf

Improve climate and environmental change: seesaw across the Mediterranean basin



Sea surface temperatures and land-derived input time series were generated from the Gulf of Lions inner-shelf sediments (NW Mediterranean Sea) using alkenones and high-molecular-weight odd-carbon number n-alkanes. The SST record depicts three main phases: a warm Early Holocene ($\sim 18 \pm 0.4^\circ\text{C}$) followed by a cooling of $\sim 3^\circ\text{C}$ between 7000 and 1000 BP, and rapid warming from $\sim 1850\text{ AD}$ onwards.

Several superimposed multi-decadal to centennial-scale cold events of $\sim 1^{\circ}\text{C}$ amplitude were also identified.

Concentrations show a broad increase from the Early Holocene towards the present with a pronounced minimum around 2500 BP and large fluctuations during the Late Holocene.

Sediments of the inner shelf seems to be originated mainly from the Upper Rhone River watershed, primarily delivered during positive North Atlantic Oscillation (NAO).


Modelling Climate/Environment/Society interactions

Dynamic and spatially-explicit modeling is the only way for combining altogether biophysical elements such as climate, soils and land cover, with archaeologically and socio-anthropology/socio-economy based hypotheses in the functioning of the Neolithic societies.

Howev

However,

- Paleo-environmentalists provide climate and landscape reconstructions with a century-scale temporal precision while, to understand the consequences on rural populations, one should translate these data into the seasonal cropping and hunting/gathering activities;
- Archaeologists provide site-specific habitat and activity descriptions for specific time periods while, to extend such reconstructions for applying it on a regional level, the ones occupied by the same culture, a generic and adaptable behavior rationality should be hypothesized, combining social constraining rules and production practices.



We propose a spatially explicit (scale 1ha) and temporally defined (scale: 1 season) multi-agent modelisation.

References: