



HAL
open science

Techno-functional approach to a technological breakthrough: The Second Mesolithic of the Montclus rockshelter (Gard, France)

Elsa Defranould, Sylvie Philibert, Thomas Perrin

► To cite this version:

Elsa Defranould, Sylvie Philibert, Thomas Perrin. Techno-functional approach to a technological breakthrough: The Second Mesolithic of the Montclus rockshelter (Gard, France). Meso 2015 : The Ninth International Conference on the Mesolithic in Europe, Sep 2015, Belgrade, Serbia. pp.434-438. hal-03453770

HAL Id: hal-03453770

<https://univ-tlse2.hal.science/hal-03453770>

Submitted on 28 Nov 2021

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

68. Techno-functional approach to a technological breakthrough: The Second Mesolithic of the Montclus rockshelter (Gard, France)

Elsa Defranould, Sylvie Philibert and Thomas Perrin

In the sixth millennium cal BC, in southern France, the spread of blade and trapeze industries ended a high stability of the technical and economic choices of Epipalaeolithic (Azilian) and First Mesolithic (Sauveterrian) groups. With the Second Mesolithic, the lithic technical system, technical standards, but also the conceptual scheme were substantially modified. To better characterize and understand these changes, a new techno-functional analysis was carried out on the lithic industries of Montclus rockshelter (Gard, France), which offers a significant stratigraphic sequence covering the whole of the Mesolithic (Montclusian facies of the Sauveterrian and Castelnovian). In this paper, we discuss some aspects of this technological breakthrough in the organization of lithic production and functional behaviour during the Second Mesolithic. We will also discuss the technological evolution of the production at the beginning of the Castelnovian sequence.

Keywords: Second Mesolithic, lithic industry, technology, traceology, Montclus rockshelter

Introduction

In 1958, John Desmond Clark was the first who identified a major change in the lithic assemblages of the Mesolithic with the appearance of ‘blade and trapeze’ industries (Clark 1958). This phenomenon encompassed western Europe as a whole, except the British Isles, as well as northern Africa. The change occurred during the seventh millennium cal BC, several centuries before the neolithization. On the basis of coherent assemblages and reliable radiocarbon dates, a recent consensus has been that the origins of the blade and trapeze industries are to be located somewhere in northern Africa (Perrin *et al.* 2009). The first step in the diffusion of this phenomenon encompassed the whole of the western Mediterranean Basin and was probably a process of demic diffusion. During the second stage, after *c.* 6000 cal BC, the process might have been again a matter of demic diffusion but more probably as a diffusion of concepts through pre-existent populations (Perrin *et al.* 2009). Despite these recent studies, the local evolution of the Second Mesolithic remains insufficiently understood even if a chronological phasing began to be clarified (Marchand and Perrin 2017). This is the reason we propose here a new milestone for understanding these phenomena.

The site of Montclus is a rockshelter located in the department of Gard, France, near its border with Ardèche. It lies some hundred kilometres away from the coast, on the

left bank of the River Cèze, a tributary of the Rhône around 25 km from their confluence. The River Cèze is in this part slightly incised and cuts through secondary and tertiary limestones. The site itself was discovered in 1954 by Max Escalon de Fonton during a systematic survey of the gorges of the Cèze. The investigator dug at the foot of the cliff from 1956 to 1971. His excavations show a very long, four-metre-deep, stratigraphic sequence spanning the Middle Mesolithic through to the Early Neolithic.

Layers 16 to 14 of Montclus rockshelter

We focus our study on layers 16 to 14, which correspond to the beginning of the Second Mesolithic occupations. A previous work has highlighted a stratigraphic mixture is found between layers 15 and 16 (Perrin and Defranould 2016). For us, the ‘Sauveterrian with trapezes’ reflects two successive occupations (Sauveterrian and Castelnovian) rather than a transition facies. Several arguments can be put forward in favour of this view: layers 15 and 16 correspond to a layer of porch collapse which may have caused the stratigraphic mixing, the manufacture of microlithic triangular and trapeze arrowheads belongs to two completely different *chaînes opératoires*, and there is a clear spatial disjunction between trapezes and triangles. Hence, since our study is focusing on the Second Mesolithic evolution, we made the choice to consider only the elements that clearly belong to the




Fig. 68.1. Radiocarbon dates (95% confidence) from layers 16, 15, and 14 of the site of Montclus calibrated against IntCal13 (Reimer *et al.* 2013) using OxCal 4.2.3 (Bronk Ramsey *et al.* 2013).

Layer	Sample	Lab ID	Age (BP)	Std. dev.	Dating technique	Calibrated range (95% confidence)
C14	charcoal	LY-496	7020	140	conventional	6208–5657
C14B	bone (indet.)	Beta-253164	7320	50	AMS	6346–6060
C15	bone (Cervus)	Beta-255115	7770	50	AMS	6682–6481
C16	bone (indet.)	LY-542	7540	140	standard	6649–6084
C16	bone (indet.)	Beta-253166	7670	50	AMS	6605–6436

Table 68.1. Radiocarbon dates (95% confidence) from layers 16, 15, and 14 of the site of Montclus calibrated against IntCal13 (Reimer *et al.* 2013) using OxCal 4.2.3 (Bronk Ramsey *et al.* 2013).

Castelnavian way of knapping: pressure or punch technique, prismatic blades, and trapezoidal arrowhead from layers 16, 15, and 14.

There are five radiocarbon dates for layers 16, 15, and 14. Two were obtained during the excavations and exhibit a large standard deviation, while three were obtained more recently by the accelerator mass spectrometry (AMS) dating method and are more precise (Fig. 68.1, Table 68.1). Layer 14 is dated between *c.* 6500 and 6300 cal BC. Layers 15 and 16 are dated *c.* 6500 cal BC. However, as these layers present a mixed set of both Sauveterrian and Castelnavian industries, it is not yet possible to attribute those dates to one or the other period. Nonetheless, as these dates are contemporaneous with the date of layer 18 (Sauveterrian), we can assume that it is a Sauveterrian occupation which was dated in layers 16 and 15.

Technological point of view

In all layers, the same raw materials were used. There are many tertiary flint sources at around 5 to 10 km from the site, and the Montclus' knappers mainly exploited these boulders or elongated pebbles: they represent around 85 percent of the

assemblages. A beige secondary flint is also used (*c.* 15 percent of the assemblages) probably coming from the banks of the Rhône, around 40 km from the site for the closer sources (on the right side of the river).

The Castelnavian debitage of layers 15 and 16 shows the production of large blades over a unidirectional flaked surface on either a narrow or a wide side of the core. There is no overhang abrasion and the proximal part of the blades shows flat or concave butts, which suggests the use of the punch technique for blade production. We noticed a similar way of blades' shaping in layers 14, but the pressure technique appears here. Indeed, layer 14 shows the appearance of faceted butts (*c.* 10 percent of preserved butts) often in connection with slight overhang abrasion. However, the angle of percussion is often around or above 90 degrees and some cores show the same angulation between the flake surface and striking platform. All these traits suggest the use of pressure technique associated with the punch technique. Namely, pressure technique was used to produce string bladelets (*c.* 8.8 mm wide on average) as the knappers of Montclus used the punch technique to produce larger blades (*c.* 11.3 mm wide).




Fig. 68.2. Montclus, Castelnovian. Diagnostic impact fractures on asymmetric (l.14) and symmetric trapezes (l.16), recurring distribution and orientation of the damages and hypothetical reconstruction of their hafting and functioning mode.

Emphasis on Montbany blades

With the Second Mesolithic, we can notice the appearance of notched blades, also called 'Montbani blades'. Usually considered as emblematic of the Second Mesolithic, they seem to have a recurrent way of being used, which could correspond to the emergence of a dedicated tool, with a specific active edge – the notch – devolved to scraping different materials, in particular vegetal materials but also bones and hides (Gassin *et al.* 2013, 2014). At Montclus, those specific tools appear only in layer 14. Indeed, only 2 blades were found in layer 16, which corresponds to a rate shaping of 2 percent (and none shows a veritable notch), whereas in layer 14 retouched blades amount to 14 percent. The latter are not standardized and often appear with cortical flanks. The use-wear analysis of 12 blades allowed the identification of 8 used tools and 15 used zones. The notches appear to have a specific active edge, used for scraping with a negative rake-cutting, probably to remove fine shaving or to remove material without penetrating deeply. The notches are mainly involved in plant processing, several types of vegetal materials, rigid and siliceous plants, fibres, and wood. It is possible that some of these tools were used for scraping vegetal materials for nets or fish-trap manufacturing in connection with fishing activities carried out at the site. However, notched blades were used more specifically to process different materials for technical purposes (Philibert 2016).

Emphasis on trapezes

Concerning arrowheads, we can firstly underline that they were shaped from regular blanks, mostly with a trapezoidal section. Secondly, we noticed a clear increase in arrowheads' width between layers 16 and 15 and layer 14 (10.2 mm wide for layers 15 and 16; 11.7 mm wide for layer 14). Also, the microburin technique is not attested in layers 15 and 16 whereas layer 14 has yielded several microburins. Finally, from a typological point of view, the morphology of the trapezes also changes between these layers, with small symmetrical trapezes in the lower ones and with large asymmetrical trapezes with either a concave truncation or offset base and sometimes with inverse retouches in the upper ones. These morphometric changes correspond to a functional change. Trapezes, as projectiles inserts, also meet a new conception of wounding arrow tips and a new hafting system. A low magnification observation allowed diagnostic projectile impact wears to be identified on symmetric and asymmetric trapezes (6 out of 20 in layer 16 and 19 trapezes out of 56 in layer 14, Philibert 2016). The characterization of impact damages is based on experimental references published since the 1970s. They tend to agree on some diagnostic criteria specific to each type of arrowheads (*e.g.* Albarello 1988; Chesnaux 2014; Fischer *et al.* 1984; Gassin 1996; Geneste and Plisson 1990; Petillon *et al.* 2011; Philibert 2002; Yaroshevich *et al.* 2010). The recurrence and combination of diagnostic




Fig. 68.3. Synthetic plan of major changes between layers 15–16 and layer 14 (drawing to scale 1/2).

impact damage allows us to propose a hypothesis for arrowheads' functioning (Fig. 68.2).

Asymmetric trapezes of layer 14, which that have assumed a 'point-barb' function, combined in a single micro-lith the ballistic properties – perforating, lacerating, and retaining (Philibert 2016). On their side, symmetric trapezes show compatible fractures with a transversal functioning. This interpretation needs to be confirmed through micro-wear observations and detailed analysis of all symmetric trapezes from layers 16 and 15. Nevertheless, the appearance of transverse arrowheads represents a break in terms of technical conception and ballistic properties with the Sauveterian mode of assembling that precedes them, but also with the 'point-barb' arrowhead of layer 14. By contrast, in the Sauveterian arrow every element, with various forms, has these different roles according to its specific hafting system and position on the shaft (Chesnaux 2014; Philibert 2002). Besides a return to a high investment in the production of regular blanks, these new technical choices come along a

new hafting system and probably a new know-how in the manufacturing of glues.

Conclusion

To conclude, the site of Montclus yielded coherent and important assemblages for the beginning of the Castelnovian and it allows us to consider a technical and functional evolution during the sequence. This is the reason why we have proposed such a chronological phasing (Fig. 68.3). At least, these data confirm the existence of an early phase of the Second Mesolithic with symmetrical arrowheads, as observed in southern Italy at Latronico (Dini *et al.* 2008) and at Uzzo (Collina 2009), or in eastern Spain at the shelter of la Falguera, phase VIII (Garcia Puchol 2006) and at Abrigo de los Baños, levels 2b1 and 2b2, which also yielded symmetrical trapezes without microburin, used as transverse arrowheads similar to Montclus (Utrilla and Rodanés 2004). Finally, we also notice a similar evolution at La Grande Rivoire rockshelter, in the department of Isère (France), with the phase of symmetric

trapezes probably being broken by flexion in the lower sequence and with larger asymmetric arrowheads broken by microburin technique in the upper layers (Nicod *et al.* 2012; see also Angelin *et al.* this volume). Even if this pattern must further be confirmed by complementary analysis in the Castelnovian area, this study highlighted the existence of different phases in the Second Mesolithic with the first stage with small symmetric trapezes corresponding to a phase of 'Castelnovianisation' (Kozłowski 2009) with a rapid diffusion of this phenomenon, and the second stage with large asymmetrical trapezes, which may correspond to a local cultural recombining as suggested by recent studies (*e.g.* Perrin *et al.* 2009).

References

- Albarello, B. (1988) *Monographie fonctionnaliste. Le microlithique dans le Mésolithique récent et final de l'Agenais/Périgord/Quercy*. Unpublished PhD thesis. Nanterre, Université de Paris X – Nanterre.
- Bronk Ramsey, C., E. M. Scott and J. Van Der Plicht (2013) Calibration for archaeological and environmental terrestrial samples in the time range 26–50 ka cal BP. *Radiocarbon* 55(4) 2021–27.
- Chesnaux, L. (2014) *Réflexion sur le microlithisme en France au cours du Premier Mésolithique (X^e–VIII^e millénaires av. J.-C.). Approches technologique, expérimentale et fonctionnelle*. Unpublished PhD thesis. Paris, Université Paris 1.
- Clark, J. G. D. (1958) Blade and trapeze industries of the European Stone Age. *Proceedings of the Prehistoric society* 24, 24–42.
- Colina, C. (2009) *Evolution des industries lithiques du Néolithique ancien en Italie du Sud* Unpublished PhD thesis. Aix Marseille 1 – Provence University and Università Sapienza de Rome.
- Dini, M., R. Grifoni Cremonesi, S. K. Kozłowski, G. Molara and C. Tozzi (2008) L'industria castelnoviana della grotta di Latronico 3 (Potenza, Italia). *Preistoria Alpina* 43, 49–74.
- Fischer, A., P. V. Hansen and P. Rasmussen (1984) Macro- and micro-wear traces on lithic projectile points. Experimental results and prehistoric examples. *Journal of Danish Archaeology* 3, 19–46.
- Garcia Puchol, O. (2006) El abrigo de la Falguera: la piedra tallada. In O. Garcia Puchol and J. E. Aura Tortosa (eds.) *El abri de la Falguera (Alcoi, Alacant). 8000 años de ocupación humana en la cabecera del río de Alcoi*, 260–95. Alicante, Ajutament d'Alcoi (Caja de Ahorros el Mediterráneo).
- Gassin, B. (1996) *Évolution socio-économique dans le Chasséen de la grotte de l'Église supérieure (Var), Apport de l'analyse fonctionnelle des industries lithiques* (Monographie du CRA 17). Paris, CNRS Éd.
- Gassin, B., G. Marchand, E. Claud, C. Guéret and S. Philibert (2013) Les lames à coches du second Mésolithique: des outils dédiés au travail des plantes? *Bulletin de la société préhistorique française* 110(1), 25–43.
- Gassin, B., J. F. Gibaja Bao, P. Allard, D. Boucherat, E. Claud, I. Clemente Conte, C. Guéret, J. Jacquier, R. Khedhaier, G. Marchand, N. Mazzucco, A. Palomo, U. Perales, T. Perrin, S. Philibert, A. Rodriguez Rodríguez and L. Torchy (2014) Late Mesolithic notched blades from western Europe and north Africa: Technological and functional variability. In J. Marreiros, J. F. Gibaja Bao and N. Bicho (eds.) *Use-Wear 2012* (Proceedings of the International Conference on Use-Wear Analysis), 224–31. Cambridge, Cambridge Scholars Publishing.
- Geneste, J. M. and H. Plisson (1990) Technologie fonctionnelle des pointes à cran solutréennes: l'apport des nouvelles données de la Grotte de Combe Saunière (Dordogne). In J. K. Kozłowski (ed.) *Les industries à pointes foliacées du Paléolithique supérieur européen* (Krakow 1989, 42), 293–320. Liège, E.R.A.U.L.
- Kozłowski, S. K. (2009) *Thinking Mesolithic*. Oxford, Oxbow Books.
- Marchand, G. and T. Perrin (2017) Why this revolution? Explaining the major technological shift in Southwestern Europe during the 7th millennium cal BC. *Quaternary International* 428B, 73–85.
- Nicod, P.-Y., T. Perrin, J. L. Brochier, L. Chaix, B. Marquebielle, R. Picavet and D. Vannieuwenhuysse (2012) Continuités et ruptures culturelles entre chasseurs mésolithiques et chasseurs néolithiques en Vercors, analyse préliminaire des niveaux du Mésolithique récent et du Néolithique ancien sans céramique de l'abrisous-roche de la Grande Rivoire (Sassenage, Isère). In T. Perrin, I. Sénépart, J. Cauliez, É. Thirault and S. Bonnardin (eds.) *Dynamismes et rythmes évolutifs des sociétés de la Préhistoire récente. Actualité de la recherche* (Actes des 9^e rencontres Méridionales de Préhistoire Récente, Saint-Georges-de-Didonne, 8–9 octobre 2010), 13–32, Toulouse, Archives d'Écologie Préhistorique.
- Petillon, J. M., O. Bignon, P. Bodu, P. Cattelain, G. Debout, M. Langlais, V. Laroulandie, H. Plisson and B. Valentin (2011) Hard core and cutting edge: Experimental manufacture and use of Magdalenian composite projectile tips. *Journal of Archaeological Science* 38, 1266–83.
- Perrin, T., G. Marchand, P. Allard, D. Binder, C. Collina, O. Garcia Puchol and N. Valdeyron (2009) Le second Mésolithique d'Europe occidentale: origines et gradient chronologique. *Annales de la foundation Fyssen* 24, 160–9.
- Perrin, T. and E. Defranould (2016) The Montclus rock shelter (Gard) and the continuity hypothesis between 1st and 2nd Mesolithic in southern France. *Quaternary international* 423, 230–41.
- Philibert, S. (2002) *Les Derniers 'Sauvages'. Territoires économiques et systèmes techno-fonctionnels mésolithiques*. Oxford, British Archaeological Reports Int. Ser. 1069.
- Philibert, S. (2016) Ist vs. IInd Mesolithic in southern France. Functional approach of techno-economic behaviour through the Castelnovian of Montclus rock shelter (Gard): First results. *Quaternary International* 423, 242–51.
- Reimer, P. J., E. Bard, A. Bayliss, J. W. Beck, P. G. Blackwell, C. Bronk Ramsey, C. E. Buck, H. Cheng, R. L. Edwards, M. Friedrich, P. M. Grootes, T. P. Guilderson, H. Hafliadason, I. Hajdas, C. Hatté, T. J. Heaton, D. L. Hoffmann, A. G. Hogg, K. A. Hughen, K. F. Kaiser, B. Kromer, S. W. Manning, M. Niu, R. W. Reimer, D. A. Richards, E. M. Scott, J. R. Southon, R. A. Staff, C. S. M. Turney and J. Van Der Plicht (2013) IntCal13 and Marine13 radiocarbon age calibration curves 0–50,000 years cal BP. *Radiocarbon* 55(4), 1869–87.
- Utrilla, P. and J. M. Rodanés (2004) *Un asentamiento epipaleolítico en el valle del río Martín, El abrigo de los Baños (Ariño, Teruel)*. Zaragoza, Monografías Arqueológicas 39.
- Yaroshevich, A. K. D., D. Nuzhnyi, O. Bar-Yosef and M. Weinstein-Evron (2010) Design and performance of microlith implemented projectiles during the middle and the late Epipaleolithic of the Levant: Experimental and archaeological evidence. *Journal of Archaeological Science* 37, 368–88.